Application No. Applicant(s) 10/750,391 KASSAY ET AL. Notice of Allowability Examiner **Art Unit** 2875 Guiyoung Lee -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 02/28/2006. 2. The allowed claim(s) is/are 1-17. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). b) Some\* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). \* Certified copies not received: \_\_\_\_\_. Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a)  $\square$  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached . 1) Thereto or 2) to Paper No./Mail Date \_\_\_ (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application (PTO-152) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. Interview Summary (PTO-413), Paper No./Mail Date 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08). 7. Examiner's Amendment/Comment Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit 8. X Examiner's Statement of Reasons for Allowance of Biological Material 9. 🗌 Other \_

Application/Control Number: 10/750,391

Art Unit: 2875

## **DETAILED ACTION**

Page 2

## Prelim./Amdt.

1. Receipt is acknowledged of the amendment filed 02/28/2006.

- 2. Claims 1-17 are pending.
- 3. In view of amendment to the claim, claim rejection under 35 U.S.C. 112, second paragraph, is withdrawn.

## Allowable Subject Matter

- 4. Claims 1-17 are allowed.
- 5. The following is an examiner's statement of reasons for allowance: With regard to independent claim 1, primary reason for allowance is inclusion of the limitations of "end reflectors behind said side light bulbs each having a straight oblique portion and an outer edge overlapping an end light bulb in said side light bulbs" and "a separate end reflector spaced from said outer edge of each oblique end reflector having a concave surface facing said light bulb under each end reflector". No other prior art discloses end reflectors and a separate end reflector for a fluorescent light fixture as set forth in the claim. With regard to claim 17, prior art of record fails to disclose a fluorescent light fixture, configured as claimed, wherein end reflectors behind said side light bulbs each having a straight oblique portion and an outer edge having a concave surface overlapping and facing an end light bulb in said side light bulbs; and said oblique walls being foreshortened to allow a portion of light from a light bulb under an end reflector to be directed in a generally upwardly direction to provide indirect lighting. Claims 2-16 depend from claim 1. Therefore, claims 1-17 are patentable over the prior art of record.

Application/Control Number: 10/750,391

Art Unit: 2875

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Guiyoung Lee whose telephone number is 571-272-2374. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandra O'Shea can be reached on 571-272-2378. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

LGY

THOMAS M. SEMBER PRIMARY EXAMINER Page 3